



**Palintest Ltd**

Palintest House  
Kingsway  
Team Valley  
Gateshead  
Tyne & Wear  
NE11 0NS  
England  
Tel: +44 (0) 191 491 0808  
sales@palintest.com

**Palintest Australia Pacific**

1/53 Lorraine Street  
Peakhurst Business Centre  
Peakhurst  
NSW 2210  
Australia  
Tel: +61 1300 131516  
palintest@palintest.com.au

**Palintest USA**

600 Corporate Circle  
Suite F  
Golden CO  
80401  
USA  
+1 720 221 6878  
info@palintestusa.com



[www.palintest.com](http://www.palintest.com)



© Palintest Limited. All rights reserved. Registered office: Palintest House, Kingsway, Team Valley, Tyne & Wear, England NE11 0NS. Registered in England, Number 1204118.

BR-LPTX-04/22-EN

[www.palintest.com](http://www.palintest.com)

**Pool & Spa**  
Water Analysis Technologies



# Our Purpose

We exist to safeguard water  
for everyone, every day.

**Palintest**  
Water Analysis Technologies




## Palintest products help to deliver:



### Swimmer safety

Safeguard pool users through effective disinfection and water balance control



### Pool integrity

Regular pool testing helps maintain your pool and protects the pool infrastructure



### Water balance

Maintain optimum water balance to avoid corrosion or scaling



### Cost efficiency

Optimise your pool treatment plan

Backed by over 100 years of research, our equipment has been optimised to make testing simple and easy.

Our technology delivers reliable results, to drive confidence in water quality management, so we can all enjoy swimming pools and spas safely.

# Lumiso Photometers

The Lumiso Pooltest family of photometers set a new standard for photometry in water testing. Covering a single parameter through to multi parameter testing, Lumiso Pooltest photometers are a robust all-round solution for pool and spa testing needs, allowing users to perform reliable accurate testing anywhere, with little to no prior knowledge or training.

## Features of the Lumiso family:

-  The Lumiso Optical Engine uses innovative photometric technology and is utilised across the full Lumiso Pooltest family, giving consistently accurate and reliable results across all models
-  Simple user interface requires little prior knowledge or training
-  Logs test results with date and time for compliance and auditing
-  Interchangeable accessories and reagents across the full Lumiso Pooltest family range simplifies inventory
-  USB connectivity enables data management with the Palintest Connect platform
-  Designed and manufactured in the UK



The Lumiso Pooltest family also benefits from a new kit design which includes a waterproof reagent box. The waterproof design protects from any water damage and minimises the overall amount of packaging used in the kits.



# Which Lumiso instrument is right for me?

The Lumiso pooltest range includes four instruments, each designed to meet the needs of different testing environments and users.

## Lumiso Pooltest 3



Lumiso Pooltest 3 is ideal for monitoring of outdoor pools, covering the three main tests chlorine, pH and cyanuric acid.

## Lumiso Pooltest 4



Lumiso Pooltest 4 is ideal for testing spas and indoor pools, inclusive of tests for alkalinity, bromine, chlorine and pH.

## Lumiso Pooltest 6



The Lumiso Pooltest 6 provides simple and effective pool testing for Service Engineers and Pool Managers. Inclusive of all the tests required for a water balance calculation: alkalinity, bromine, calcium hardness, chlorine, cyanuric acid and pH.

## Lumiso Pooltest Expert



The Lumiso Pooltest Expert has been designed for a range of Pool and Spa customers from Pool Managers through to professional Engineers who need to test pool and spa water multiple times daily, quickly, and accurately across key and troubleshooting parameters.

## Pool Photometer Comparison Table

Photometer	Lumiso Pooltest 3	Lumiso Pooltest 4	Lumiso Pooltest 6	Lumiso Pooltest Expert
PARAMETER				
Absorbance				•
Acid Demand				•
Alkalinity, Total		•	•	•
Aluminium				•
Ammonia (Tablet Indophenol)				•
Bromine, Free, Combined & Total		•	•	•
Bromine, Total		•	•	•
Bromine, Total (+ Cl <sub>2</sub> , F, C & T)		•	•	•
Bromine, Total (Cl <sub>2</sub> present)		•	•	•
Calcium Hardness				•
Calcium Hardness (Salt Pools)				•
Chlorine Dioxide				•
Chlorine HR				•
Chlorine, F, C & T (Liquid)	•	•	•	•
Chlorine, F, C & T (Tablet)	•	•	•	•
Chlorine, Free	•	•	•	•
Chlorine, Free & Total (XF, XT)	•	•	•	•
Chlorine, Free (XF)	•	•	•	•
Chlorine, Total	•	•	•	•
Copper, Free				•
Copper, Free and Total				•
Cyanuric Acid	•		•	•

Photometer	Lumiso Pooltest 3	Lumiso Pooltest 4	Lumiso Pooltest 6	Lumiso Pooltest Expert
PARAMETER				
Hardness, Total				•
Hydrogen Peroxide HR				•
Iron MR				•
Langelier Water Balance Index				•
Nitrate				•
Ozone				•
pH-Phenol Red	•	•	•	•
Salt				•
Sulfate				•
Transmittance				•
Zinc				•
Zinc (copper present)				•





# Lumiso Pooltest 3

## Tests for:

Chlorine (Free, Combined & Total)

Cyanuric Acid

pH Phenol Red



## FEATURES INCLUDE:

- Ideal for monitoring of outdoor pools
- Logs test results with date and time
- USB connectivity enables further data management
- On-board memory for up to 50 data sets
- Lightweight kit design
- Easy to operate
- Quick to deliver results
- Tag records with labels
- IP67 Certified Waterproofing

## Technical Specification

<b>Instrument Type</b>	Dual light source colorimeter offering direct-reading of pre-programmed test calibrations
<b>Peak Wavelengths</b>	530 nm, 575 nm
<b>Accuracy</b>	± 1.0% T
<b>Display</b>	226 x 138 pixel LCD with backlight
<b>User Interface</b>	Language-free interface, on screen visual icons
<b>Size (W x L x H) and Weight</b>	163 mm x 70 mm x 45 mm, 275 g
<b>IP Rating</b>	IP67
<b>Power Supply</b>	3 x AA 1.5V Batteries
<b>Connectivity</b>	USB for data download and software updates
<b>Memory Capacity</b>	Last 10 results. Blank value held in memory until power off or new blank recorded

## Kit Contents

Item	Lumiso Pooltest 3 LMP003
Lumiso Pooltest 4 instrument	1
Instructions	1
Test tubes	5
Test tube brush	1
Lint free cloth	1
10 mL syringe	1
Dilution tube	1
Crush/stir rods	4
USB lead	1
Initial reagent pack	1
Hard carry case	1

## Reagents included in kit

Type of reagent	Tests
Free Chlorine DPD 1	50
Total Chlorine DPD 3	50
DPD XF Chlorine	30
DPD XT Chlorine	30
Phenol Red	50

For the full list of reagents see page 18

# Lumiso Pooltest 4

## Tests for:

Bromine

Chlorine (Free, Combined & Total)

pH Phenol Red

Total Alkalinity



## FEATURES INCLUDE:

Ideal for testing spas and indoor pools

Logs test results with date and time

USB connectivity enables data management

On-board memory for up to 50 data sets

Lightweight kit design

Easy to operate

Quick to deliver results

Tag records with labels

IP67 Waterproofing

## Technical Specification

<b>Instrument Type</b>	Dual light source colorimeter offering direct-reading of pre-programmed test calibrations
<b>Peak Wavelengths</b>	530 nm, 575 nm
<b>Accuracy</b>	± 1.0% T
<b>Display</b>	226 x 138 pixel LCD with backlight
<b>User Interface</b>	Language-free, on-screen visual icons
<b>Size (W x L x H) and Weight</b>	163 mm x 70 mm x 45 mm, 275 g
<b>IP Rating</b>	IP67
<b>Power Supply</b>	3 x AA 1.5V Batteries
<b>Connectivity</b>	USB for data download and software updates
<b>Memory Capacity</b>	Up to 50 data sets

## Kit Contents

Item	Lumiso Pooltest 4 LMP004
Lumiso Pooltest 4 instrument	1
Instructions	1
Test tubes	5
Test tube brush	1
Lint free cloth	1
10 mL syringe	1
Dilution tube	1
Crush/stir rods	4
USB lead	1
Initial reagent pack	1
Hard carry case	1

Combine with a TDS meter for complete compliance to HGS:282 UK Spa Regulations

## Reagents included in kit

Type of reagent	Tests
Free Chlorine DPD 1	50
Total Chlorine DPD 3	50
DPD XF Chlorine	30
DPD XT Chlorine	30
Phenol Red	50
Alkalinity	10

For the full list of reagents see page 18



# Lumiso Pooltest 6

## Tests for:

- Bromine
- Calcium Hardness
- Chlorine (Free, Combined & Total)
- Cyanuric Acid
- pH Phenol Red
- Total Alkalinity



## FEATURES INCLUDE:

- Ideal for Service Engineers and Pool Managers
- Enables a complete water balance calculation
- Expert colorimetric analysis
- Logs test results with date and time
- USB connectivity enables data management
- On-board memory for up to 50 data sets
- Lightweight kit design
- Tag records with labels
- IP67 Waterproofing

## Technical Specification

<b>Instrument Type</b>	Dual light source colorimeter offering direct-reading of pre-programmed test calibrations
<b>Peak Wavelengths</b>	530 nm, 575 nm
<b>Accuracy</b>	± 1.0% T
<b>Display</b>	226 x 138 pixel LCD with backlight
<b>User Interface</b>	Language-free, on screen visual icons
<b>Size (W x L x H) and Weight</b>	163 mm x 70 mm x 45 mm, 275 g
<b>IP Rating</b>	IP67
<b>Power Supply</b>	3 x AA 1.5V Batteries
<b>Connectivity</b>	USB for data download and software updates
<b>Memory Capacity</b>	Up to 50 data sets

## Kit Contents

Item	Lumiso Pooltest 6 LMP006
Lumiso Pooltest 6 instrument	1
Instructions	1
Test tubes	5
Test tube brush	1
Lint free cloth	1
10 mL syringe	1
Dilution tube	1
Crush/stir rods	4
USB lead	1
Initial reagent pack	1
Hard carry case	1

For the full list of reagents see page 18

## Reagents included in kit

Type of reagent	Tests
Free Chlorine DPD 1	50
Total Chlorine DPD 3	50
DPD XF Chlorine	30
DPD XT Chlorine	30
pH Phenol Red	50
Cyanuric Acid	10
Alkalinity	10
Calcium Hardness	10





# Lumiso Pooltest Expert

## Tests for:

Absorbance  
Acid Demand  
Alkalinity, Total  
Aluminium  
Ammonia (Tablet Indophenol)  
Bromine, Total  
Bromine, Total (Cl<sub>2</sub> present)  
Calcium Hardness  
Calcium Hardness (Salt Pools)  
Chlorine and Chloramines  
Chlorine Dioxide  
Chlorine HR  
Chlorine, Free  
Chlorine, Free & Total (XF, XT)  
Chlorine, Free (XF)  
Chlorine, Total  
Copper, Free  
Copper, Free and Total  
Cyanuric Acid  
Hardness, Total  
Hydrogen Peroxide HR  
Iron MR  
Langelier Water Balance Index  
Nitrate  
Ozone  
Ozone (Cl<sub>2</sub> or Br<sub>2</sub> present)  
Persulfate  
Phosphate LR  
pH-Phenol Red  
Salt  
Sulfate  
Transmittance



- FEATURES INCLUDE:**
- Designed and manufactured in the UK
  - Recycled material case
  - IP67 Waterproofing
  - Multi parameter for troubleshooting
  - Quick and accurate testing
  - Large touch screen interface
  - Simple to follow on screen instructions
  - Data traceability for audit compliance
  - Easy results retrieval with Palintest Connect
  - Professional level results in-situ

## Technical Specification

<b>Instrument Type</b>	Multiparameter Photometer
<b>Wavelengths</b>	530 nm, 575 nm, 620 nm
<b>Peak Wavelengths</b>	±2 nm
<b>Accuracy</b>	+/-1%T
<b>Display</b>	Full Colour TFT - 16:9 ratio screen, resolution 800 x 480 px
<b>User Interface</b>	PCAP touch panel
<b>Size W x L x H (mm)</b>	211 x 195 x 52
<b>Weight (kg)</b>	0.85
<b>IP Rating &amp; Standards</b>	IP67
<b>Power Supply</b>	6 x AA 1.5V Batteries or Standalone USB
<b>Connectivity</b>	Via Windows App (USB) or Mobile App (QR Code)
<b>Memory Capacity</b>	Access to 1,000 results via device's screen
<b>Battery Life</b>	5,000 tests on one charge
<b>Certifications</b>	EN61326, EN61010, IP67 and EN60068-2-78

## Kit Contents

Item	All kits
Lumiso Pooltest Expert Instrument	1
Dilution Tube	1
Syringe, Luer Slip, 10mL	1
Polishing Cloth	1
Test Tube Brush, 12cm	1
USB lead	1
Quick Start Guide	1
Absorbent Cloth	1
Crush/Stir Rod	10
Cap for 15mL Vial	10
15mL Snap Cap Vial	10
Lumiso Benchtop Case	1
Reusable Reagent Box	1



## Reagents included in kit

	UK / Rest of World Kit Order code: LMPXUK	USA Kit Order code: LMPXUS	Australia Kit Order code: LMPXAUS
	DPD1 Free Chlorine Tablet 0-5 mg/L	DPD XF Chlorine Tablet 0 - 10 mg/L	DPD1 Free Chlorine Tablet 0-5 mg/L
	DPD3 Total Chlorine Tablet 0-5 mg/L	DPD XT Chlorine Tablet 0 - 10 mg/L	DPD3 Total Chlorine Tablet 0-5 mg/L
	DPD4 Total Chlorine Tablet 0-5 mg/L	Cyanuric Acid Tablet 0 - 200 mg/L	DPD4 Total Chlorine Tablet 0-5 mg/L
	Cyanuric Acid Tablet 0 - 200 mg/L	pH, Phenol Red Tablet 6.8 - 8.4	DPD XF Chlorine Tablet 0 - 10 mg/L
	pH, Phenol Red Tablet 6.8 - 8.4	Coppercol No 1 Tablet 0 -5 mg/L	DPD XT Chlorine Tablet 0 - 10 mg/L
	Coppercol No 1 Tablet 0 -5 mg/L	Coppercol No 2 Tablet 0 -5 mg/L	Cyanuric Acid Tablet 0 - 200 mg/L
	Coppercol No 2 Tablet 0 -5 mg/L	Alkalinity Total Tablet 0 - 500mg/L	pH, Phenol Red Tablet 6.8 - 8.4
	Alkalinity Total Tablet 0 - 500mg/L	Calcium Hardness Tablet 0 - 500mg/L	Coppercol No 1 Tablet 0 -5 mg/L
	Calcium Hardness Tablet 0 - 500mg/L	Iron MR No1 Tablet 0 -5 mg/L	Coppercol No 2 Tablet 0 -5 mg/L
	Iron MR No1 Tablets 0 -5 mg/L	Iron MR No2 Tablet 0 -5 mg/L	Alkalinity Total Tablet 0 - 500mg/L
	Iron MR No2 Tablets 0 -5 mg/L	Oxystop Tablet N/A	Calcium Hardness Tablet 0 - 500mg/L
		Phosphate LR, Phot, 0-4mg/L	Iron MR No1 Tablet 0 -5 mg/L
			Iron MR No2 Tablet 0 -5 mg/L

# Photometer reagents

## Photometer reagents

Name	Part code (AP) 250 Tablets	Part code (PM) 50 Tablets	Part Code AT (Liquid)	Range
Absorbance				0-2.3 Abs
Acid Demand	AP188	PM188		0-9 mmol/L
Alkalinity, Total	AP188	PM188		0-500 mg/L
Aluminium	AP166	PM166		0-0.5 mg/L
Ammonia (Tablet Indophenol)	AP152	PM152		0-1 mg/L
Bromine, Free, Combined & Total	AP060	PM060		0-10 mg/L
Bromine, Total	AP060	PM060		0-10 mg/L
Bromine, Total (+ Cl <sub>2</sub> , F,C & T)	AP060	PM060		0-10 MG/L
Bromine, Total (Cl <sub>2</sub> present)	AP060	PM060		0-10 mg/L
Calcium Hardness	AP252	PM252		0-500 mg/L
Calcium Hardness (Salt Pools)	AP252	PM252		0-500 mg/L
Chlorine Dioxide	AP052	PM052		0-10 mg/L
Chlorine HR	AP162	PM162		0-250 mg/L
Chlorine, F, C & T (Liquid)			AT015 / AT035	0-5 mg/L
Chlorine, F, C & T (Tablet)	AP031	PM031		0-5 mg/L
Chlorine, Free	AP011	PM011		0-5 mg/L
Chlorine, Free & Total (XF, XT)	AP033	PM033		0-10 mg/L

Name	Part code (AP) 50 Tablets	Part code (PM) 250 Tablets	Part Code AT (Liquid)	Range
Chlorine, Free (XF)	AP013	PM013		0-10 mg/L
Chlorine, Total	AP041	PM041		0-5 MG/L
Copper, Free	AP187			0-5 mg/L
Copper, Free and Total	AP186	PM186		0-5 mg/L
Cyanuric Acid	AP087	PM087		0-200 mg/L
Hardness, Total	AP254	PM254		0-500 mg/L
Hydrogen Peroxide HR	AP105	PM105		0-100 mg/L
Iron MR	AP292	PM292		0-5 mg/L
Langelier Water Balance Index	N/A	N/A		
Nitrate	AP163	PM163		0-1 mg/L
Ozone	AP056	PM056		0-3 mg/L
pH-Phenol Red	AP130	PM130		6.8 - 8.4
Salt	AP268	PM268		0-10000 mg/L
Sulfate	AP154	PM154		0-200 mg/L
Transmittance				0-100 %T

Only Palintest reagents are compatible with Palintest photometers



# Photometer Check Standards, accessories and support



LMC001

## FEATURES INCLUDE:

Validate the performance of your instrument with Palintest Check Standards

Quick and easy method

Traceable to national standards

Supplied with a certificate

## Ordering Information

### Pooltest 3, 4 & 6 NDF Check Standards

LMC001

Neutral Density Filter (NDF) check standard set, supplied in a protective case. Includes two standards and a blank.

### Lumiso Pooltest Expert NDF Check Standards

LMCPTX

Neutral Density Filter (NDF) check standard set, supplied in a protective case. Includes one standard and a blank.

## Accessories

Description	Code
Pack of 5 glass test tubes	PT555
Rack for 8 x Lumiso test tubes	PT545
Pack of 10 crush / stirring rods	PT502
Syringe 10 mL	PT369
Sample tube brush, length 120 mm	PT663
Sample container 100/50/10 mL plastic tube	PT510
Palintest dilution tube, x2, x3, x4, x5, x10, plastic	PT512
Wash bottle, 250ml	PT516
Wash bottle ( for deionised water)	PT518
Sample container, 50/10 ml plastic bottle	PT519
Sample container, 20/10 ml plastic tube	PT526
Polishing Cloth	PT399
Test Tube Brush, 12cm	PT663
USB lead*	PT749

\*Lumiso Pooltest Expert specific accessory

## Technical Support

At Palintest we pride ourselves on the technical support that we provide to our customers.

We have used our expertise built up over 100 years to develop an extensive library of information which helps to support your needs.

For more information visit our website or contact our team on [sales@palintest.com](mailto:sales@palintest.com)

## Servicing

Ensure your photometer remains in optimal condition with an instrument service. To get the best out of your photometer, Palintest recommends an annual service.

What is included in a Palintest service?

- Thorough evaluation and inspection of your instrument
- Comprehensive clean of the test chamber and optical bench
- Recalibration of your instrument
- Update of the latest software to optimise the performance of your instrument

Contact [sales@palintest.com](mailto:sales@palintest.com) for further information on servicing.

## Product Registration and Warranty

Each of our photometers come with a two year warranty.

To register and receive updates about your instrument, please visit: [www.palintest.com/en/product-registration](http://www.palintest.com/en/product-registration)

# Contour Comparator Kits

Single and dual parameter kits for cost effective pool, spa and hot tub testing



## FEATURES INCLUDE:

- Single and dual parameter test kits
- Unique petal disks for easy colour differentiation
- Tablet methods for visual colour development

### Single Parameter Contour Comparator Kits

**Kits includes:** Contour Comparator, Contour disk with instructions, 3 cuvettes, cuvette brush, crush/ stir rod, reagents for 30 tests, supplied in a hard case

Product	Code
Comparator Kit, Free and Total Chlorine, 0-5 mg/L	CKH1001
Comparator Kit, Free and Total Chlorine, 0-2 mg/L	CKH1002
Comparator Kit, Free and Total Chlorine, 0-1 mg/L	CKH1003
Comparator Kit, Bromine, 0-8 mg/L	CKH1005
Comparator Kit, Alkalinity, 0-250 mg/L	CKH1192
Comparator Kit, Chlorine HR, 0-250 mg/L	CKH162/250
Comparator Kit, Hydrogen Peroxide, 0-100 mg/L	CKH1105
Comparator Kit, Ozone, 0-1 mg/L	CKH1056
Comparator Kit, Phosphate, 0-4 mg/L	CKH1177
Comparator Kit, pH Phenol Red, pH 6.8-8.4	CKH1131

### Dual Parameter Contour Comparator Kits

**Kits includes:** Contour Comparator, 2 Contour disks with instructions, 3 cuvettes, cuvette brush, crush/stir rod, reagents for 30 tests for each parameter, supplied in a hard case.

Product	Code
Free + Total Chlorine/ Phenol Red 0-5 mg/l Cl <sub>2</sub> / pH 6.8-8.4	CKH2001
Free + Total Chlorine/ Phenol Red 0-2 mg/l Cl <sub>2</sub> / pH 6.8-8.4	CKH2002
Free + Total Chlorine/ Phenol Red 0-1 mg/L Cl <sub>2</sub> / pH 6.8-8.4	CKH2003
Bromine/ Phenol Red 0-8 mg/L Br <sub>2</sub> / pH 6.8- 8.4	CKH2005



# Balanced Water Kits

Simple visual kits to maintain the water balance of your pool or spa and minimise running costs



## FEATURES INCLUDE:

- Portable water balance testing
- Assess likelihood of scaling or corrosion
- Tablet method for visual colour development

## Kit Contents

	SP 129	SP129C
Standard Comparator		
Contour Comparator	•	•
Chlorine 0-5 mg/l disc	•	•
Bromine 0-8mg/l disc		
pH Phenol Red disc	•	•
4 Comparator Cuvettes	•	•
Cuvette Brush	•	•
Crush/Stir Rod	•	•
Dilution Tube	•	•
Sample Container (100 mL)		
Double Tube Assembly		•
Cyanuric Acid Reagents		•
Reagents Free and Total Chlorine/Bromine	•	•
Reagents pH Phenol Red	•	•
Tablet count reagents Alkalinity	•	•
Tablet count reagents Calcium Hardness	•	•
Instructions	•	•

# Comparator Kit Reagents



Only Palintest comparator reagents are compatible with Palintest comparators

## Comparator Kit Reagents

Name	Range	Replacement Pack (250 tests)
Calcium Hardness (Tablet count)	0-500 mg/L CaCO <sub>3</sub>	AS077
Total Alkalinity (Tablet Count)	0-1200 mg/L CaCO <sub>3</sub>	AS072



# Pooltester Kits

Ideal for the residential user, the Pooltester range from Palintest provides simple and cost effective pool and hot tub testing



## FEATURES INCLUDE:

- Available in a range of key parameters
- Quick colour development
- Cost effective testing solution
- Case made from 100% recycled plastic

## Products

Product	Code
Chlorine/pH Pooltester	SPT610
Chlorine (0-5 mg/L)/pH/Alkalinity Pooltester	SPT612
Chlorine (0-3 mg/L)/pH/Alkalinity Pooltester	SPT614
Bromine/pH/Alk Pooltester	SPT616
Cyanuric Acid Pooltester	SPT620

# Rapid Reagents for Pooltesters

Palintest Rapid tablets are designed to deliver the active reagent quickly without the need for crushing or handling



## Replacement Reagents

Name	50 tests	100 tests	250 tests
Alkalinity (Alkavis)	AL192B		AK192
Cyanuric Acid	AL087B		AT087
pH (Phenol Red)	AL131B	AL131/100B	AT130
Chlorine / Bromine (DPD 1)	AL010B	AL010/100B	AT010
DPD 3			AT030
DPD 4			AT040

## Pooltester Refill Packs

Name	Range
30 tests each of Free Chlorine and pH	AL003B
30 tests each of Free Chlorine, pH and Alkalinity	AL004B
20 tests each of Peroxtest and pH	AL623B

Only Palintest rapid reagents are compatible with Palintest pooltesters

# Pool Test Strips

Available in 3-way and 6-way formats to support all residential pool and hot tub users, Palintest test strips are the simplest method for testing your water



## FEATURES INCLUDE:

- Available in 3 in 1 and 6 in 1
- No additional reagents required
- No additional equipment required
- Quick and easy method

Description	Code
Free Chlorine, pH and Alkalinity Pack of 50	PTJ634
Free Chlorine, Total Chlorine/Bromine, pH, Cyanuric Acid, Hardness and Alkalinity Pack of 50	PTJ637



# Connect

Upload, view and manage your data easily with our cloud-based data management software.



**Product Registration** – register your Lumiso and receive the latest firmware update when you connect your instrument



**Data Management** – upload and view test results and create reports for monitoring over time



**Remote supervision** – create a collaboration group to share and monitor test results



**Corrective actions** – trigger email notifications to advise when test results don't meet target values



**Compliance** – automatically create an auditable data log when uploading your data



**Training** – access training materials with step-by-step instructions to help you get the most from your Lumiso